


IN THE CLAIMS

Kindly amend the claims to read as follows.

1-14 (cancelled).

15. (currently amended): A reactive dye of formula



wherein

A is the radical of a monoazo, polyazo, metal complex azo, anthraquinone, phthalocyanine or dioxazine chromophore,

~~R₁, R₂ and R₃ are each independently of the others~~ is hydrogen or unsubstituted or substituted C₁-C₄alkyl,


R₂ and R₃ are hydrogen,

X₁ and X₂ are halogen,

B is a radical of formula -CH₂-CH(R₇)- or -(R₇)CH-CH₂-, wherein R₇ is C₁-C₄alkyl,

T is a reactive radical of formula





R₄ is hydrogen, C₁-C₄alkyl unsubstituted or substituted by hydroxy, sulfo, sulfato, carboxy or by cyano,

or a radical $\begin{array}{c} \text{R}_5 \\ | \\ \text{---alk---SO}_2 \text{---Y} \end{array}$, wherein R₅ is as defined hereinbelow,

R₅ is hydrogen, hydroxy, sulfo, sulfato, carboxy, cyano, halogen, C₁-C₄alkoxycarbonyl,

C₁-C₄alkanoyloxy, carbamoyl or a group -SO₂-Y,

R₆ is hydrogen or C₁-C₄alkyl,

alk and alk₁ are each independently of the other linear or branched C₁-C₆alkylene,

arylene is an unsubstituted or sulfo-, carboxy-, hydroxy-, C₁-C₄alkyl-, C₁-C₄alkoxy- or halo-substituted phenylene or naphthylene radical,

Y is vinyl or a radical -CH₂-CH₂-U and U is a leaving group,

Y₁ is a group -CH(Hal)-CH₂(Hal) or -C(Hal)=CH₂, wherein Hal is chlorine or bromine,


W is a group -SO₂-NR₆-, -CONR₆- or -NR₆CO-, wherein R₆ is as defined hereinabove,

Q is a radical -O- or -NR₆-, wherein R₆ is as defined hereinabove,


n is the number 0 or 1, and

V₁ and V₂ are each independently of the other N, C-H, C-Cl or C-F,

~~with the exception of the dyes of formulae~~



and



16. (original): A print paste, comprising a reactive dye of formula (1) according to claim 15.



17. (previously presented): A reactive dye according to claim 15, wherein R_1 is hydrogen or C_1 - C_4 alkyl.

18-21. (cancelled).

22. (previously presented): A reactive dye according to claim 15, wherein X_1 and X_2 are each independently of the other chlorine or fluorine.

23. (previously presented): A reactive dye according to claim 15, wherein one of the radicals X_1 and X_2 is fluorine and the other is chlorine, or X_1 and X_2 are both fluorine.



24. (currently amended): A reactive dye according to claim 15, wherein T is a group of formula





wherein Y is vinyl, β -chloroethyl-~~oder~~ or β -sulfatoethyl.

25. (previously presented): A reactive dye according to claim 15, wherein V_1 and V_2 are N.




26. (currently amended): A reactive dye according to claim 15, wherein A is a radical of formula



in which formulae $(R_8)_{0-3}$ denotes from 0 to 3 identical or different substituents selected from the group consisting of C_1 - C_4 alkyl, C_1 - C_4 alkoxy, halogen, carboxy and sulfo,



wherein $(R_9)_{0-4}$ denotes from 0 to 4 identical or different substituents selected from the group consisting of halogen, nitro, cyano, trifluoromethyl, sulfamoyl, carbamoyl, C_1 - C_4 alkyl, C_1 - C_4 alkoxy, amino, acetamino, ureido, hydroxy, carboxy, sulfomethyl and sulfo,




in which formulae R_{10} is hydrogen, C_1 - C_4 alkanoyl, benzoyl or a halotriazinyl radical of the formula



in which T_1 is a reactive radical of formula





R₄ is hydrogen, C₁-C₄alkyl unsubstituted or substituted by hydroxy, sulfo, sulfato, carboxy or by cyano,

or a radical $\begin{array}{c} \text{R}_5 \\ | \\ \text{---alk---SO}_2 \text{---Y} \end{array}$, wherein R₅ is as defined hereinbelow,

R₅ is hydrogen, hydroxy, sulfo, sulfato, carboxy, cyano, halogen, C₁-C₄alkoxycarbonyl,

C₁-C₄alkanoyloxy, carbamoyl or a group -SO₂-Y,

R₆ is hydrogen or C₁-C₄alkyl,

alk and alk₁ are each independently of the other linear or branched C₁-C₆alkylene,

arylene is an unsubstituted or sulfo-, carboxy-, hydroxy-, C₁-C₄alkyl-, C₁-C₄alkoxy- or halo-substituted phenylene or naphthylene radical,

Y is vinyl or a radical -CH₂-CH₂-U and U is a leaving group,

Y₁ is a group -CH(Hal)-CH₂(Hal) or -C(Hal)=CH₂, wherein Hal is chlorine or bromine,


W is a group -SO₂-NR₆-, -CONR₆- or -NR₆CO-, wherein R₆ is as defined hereinabove,


Q is a radical -O- or -NR₆-, wherein R₆ is as defined hereinabove,

n is the number 0 or 1,


X₂' is halogen, and

R₃' is hydrogen or unsubstituted or substituted C₁-C₄alkyl,







in which formulae $(R_{11})_{0-3}$ denotes from 0 to 3 identical or different substituents selected from the group consisting of C_1 - C_4 alkyl, C_1 - C_4 alkoxy, halogen, carboxy and sulfo,









wherein R_{12} and R_{14} are each independently of the other hydrogen, C_1 - C_4 alkyl or phenyl and R_{13} is hydrogen, cyano, carbamoyl or sulfomethyl,




wherein $(R_{15})_{0-2}$ denotes from 0 to 2 identical or different substituents selected from the group consisting of C_1 - C_4 alkyl, C_1 - C_4 alkoxy, halogen, carboxy and sulfo; and Y is as defined hereinabove,




wherein $(R_{16})_{0-2}$ denotes from 0 to 2 identical or different substituents selected from the group consisting of C_1 - C_4 alkyl, C_1 - C_4 alkoxy, halogen, carboxy and sulfo, and Y has the definitions given hereinabove,







in which formulae $(R_8)_{0-3}$ denotes from 0 to 3 identical or different substituents selected from the group consisting of C_1 - C_4 alkyl, C_1 - C_4 alkoxy, halogen, carboxy and sulfo, $(R_8')_{0-3}$ denotes from 0 to 3 identical or different substituents selected from the group consisting of C_1 - C_4 alkyl, C_1 - C_4 alkoxy, acetamino, halogen, carboxy, sulfo, C_1 - C_4 hydroxyalkoxy and C_1 - C_4 sulfatoalkoxy, $(R_9)_{0-3}$ denotes from 0 to 3 identical or different substituents selected from the group consisting of halogen, nitro, cyano, trifluoromethyl, sulfamoyl, carbamoyl, C_1 - C_4 alkyl, C_1 - C_4 alkoxy, amino, acetamino, ureido, hydroxy, carboxy, sulfomethyl and sulfo, $(R_{10}')_{0-3}$ denotes from 0 to 3 identical or different substituents selected from the group consisting of C_1 - C_4 alkyl, C_1 - C_4 alkoxy, halogen, carboxy and sulfo, and Y is as defined hereinabove,



wherein Pc is the radical of a metal phthalocyanine; R is -OH and/or -NR₁₈R₁₉; R₁₈ and R₁₉ are each independently of the other hydrogen or unsubstituted or hydroxy- or sulfo-substituted C_1 - C_4 alkyl; R₁₇ is hydrogen or C_1 - C_4 alkyl; E is a phenylene radical unsubstituted or substituted by C_1 - C_4 alkyl, halogen, carboxy or by sulfo or is a C_2 - C_6 alkylene radical; and k is from 1 to 3,



wherein \dot{E}' is a phenylene radical unsubstituted or substituted by C_1 - C_4 alkyl, halogen, carboxy or by sulfo or is a C_2 - C_6 alkylene radical, r, s, v and v' are each independently of the others the number 0 or 1 and Y is as defined hereinabove, or



(11),

wherein G is a phenylene radical unsubstituted or substituted by C_1 - C_4 alkyl, C_1 - C_4 alkoxy, halogen, carboxy or by sulfo, or is a cyclohexylene, phenylenemethylene or C_2 - C_6 alkylene radical, each of which preferably contains at least 2 sulfo groups.